

VISTA Duntal Products

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03 July 2019 Revision date: 03 July 2019 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Injectafil

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Dual cure composite for bulk filling restorations

1.3. Supplier

Inter-Med, Inc. / Vista Dental Products

2200 South Street Racine, WI 53404 T: (877)-418-4782

1.4. Emergency telephone number

Emergency number : 800-424-9300 (North America)

+1 (703) 527-3887 (International)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity (oral) Category 3

Skin corrosion/irritation Category 1B

Serious eye damage/eye irritation Category 1

Skin sensitization, Category 1 Reproductive toxicity Category 1B Toxic if swallowed

Causes severe skin burns and eye damage

Causes serious eye damage May cause an allergic skin reaction

May damage fertility or the unborn child

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



: Danger







Signal word (GHS US)

Hazard statements (GHS US) : Toxic if swallowed

Causes severe skin burns and eye damage May cause an allergic skin reaction May damage fertility or the unborn child

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe vapors, spray.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace

Wear eye protection, protective gloves.

If swallowed: Immediately call a poison center or doctor If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Immediately call a poison center or doctor

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation

03 July 2019 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Barium glass	(CAS-No.) 1304-28-5	40 - 80	Ox. Sol. 1, H271 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318
Methacrylate Monomers	(CAS-No.) 1565-94-2	15 - 45	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Triethylene glycol dimethacrylate	(CAS-No.) 109-16-0	7 - 13	Skin Sens. 1B, H317
Submicron Silica	(CAS-No.) 112945-52-5	5 - 15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Ethanol, 2,2'-[(4-methylphenyl)imino]bis-	(CAS-No.) 3077-12-1	0.1 – 1.0	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317
Benzoic acid, 4-(dimethylamino)-, ethyl ester	(CAS-No.) 10287-53-3	0.1 – 1.0	Repr. 1B, H360
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	(CAS-No.) 75980-60-8	0.1 – 1.0	Skin Sens. 1B, H317 Repr. 2, H361

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give artificial respiration if

necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash off immediately and plentifully with water for at least 20 minutes. Take off immediately all

contaminated clothing and wash it before reuse. Get immediate medical advice/attention.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 20-30 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Seek immediate medical advice.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May damage fertility or the unborn child.

Symptoms/effects after inhalation : Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

Symptoms/effects after skin contact : Causes severe burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Toxic if swallowed. May cause burns or irritation of the linings of the mouth, throat, and

gastrointestinal tract.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : None known.

5.2. Specific hazards arising from the chemical

Fire hazard : On combustion, forms: carbon oxides (CO and CO2). Thermal decomposition can lead to the

release of irritating gases and vapors.

Explosion hazard : No direct explosion hazard.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

03 July 2019 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Emergency procedures

: Use personal protective equipment as required. For further information refer to section 8:

"Exposure controls/personal protection".

: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. In case of inadequate ventilation wear respiratory protection.

6.2. **Environmental precautions**

Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage.

Other information

: Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe vapors, spray.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Contaminated work clothing must not be allowed out of the workplace. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : Strong acids. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Rarium	alocc	11204	20 E	

Not applicable

Methacrylate Monomers (1565-94-2)

Not applicable

Triethylene glycol dimethacrylate (109-16-0)

Not applicable

Submicron Silica (112945-52-5)	
OSHA	OSHA PEL (TWA) (mg/m³)

OSHA	OSHA PEL (TWA) (mg/m³)	80 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	20 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	6 mg/m³

Benzoic acid, 4-(dimethylamino)-, ethyl ester (10287-53-3)

Not applicable

Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

Not applicable

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

Not applicable

03 July 2019 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers

should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Impermeable protective gloves

Eye protection:

Safety glasses with side shields

Skin and body protection:

Long sleeved protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Paste.

Color : White to off-white

Odor : Odorless

Odor threshold : No data available No data available Melting point : No data available : No data available Freezing point Boiling point No data available : No data available Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : Not applicable. : No data available Vapor pressure Relative vapor density at 20 °C : No data available Relative density : No data available

Specific gravity / density : > 1

Solubility : No data available Log Pow : No data available No data available Auto-ignition temperature Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

03 July 2019 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. **Conditions to avoid**

None known.

10.5. Incompatible materials

Strong acids. Strong bases.

Hazardous decomposition products

No hazardous decomposition products known at room temperature. On combustion, forms: carbon oxides (CO and CO2). Thermal decomposition can lead to the release of irritating gases and vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Toxic if swallowed.

Not classified (Based on available data, the classification criteria are not met) Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (inhalation)

ATE US (oral) 153 mg/kg body weight

Barium glass (1304-28-5)

ATE US (oral) 100 mg/kg body weight

Triethylene glycol dimethacrylate (109-16-0)

10837 mg/kg LD50 oral rat

Submicron Silica (112945-52-5)

LD50 oral rat 3160 mg/kg LD50 dermal rabbit > 2000 mg/kg

Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

ATE US (oral) 500 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eve damage/irritation : Causes serious eve damage.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Submicron Silica (112945-52-5)

IARC group 3 - Not classifiable

Reproductive toxicity : May damage fertility or the unborn child.

Specific target organ toxicity - single exposure : Not classified (Based on available data, the classification criteria are not met)

Submicron Silica (112945-52-5)

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated

: Not classified (Based on available data, the classification criteria are not met)

exposure

: Not classified (Based on available data, the classification criteria are not met) Aspiration hazard

Viscosity, kinematic : No data available

Symptoms/effects : May damage fertility or the unborn child.

Symptoms/effects after inhalation : Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

Symptoms/effects after skin contact : Causes severe burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Toxic if swallowed. May cause burns or irritation of the linings of the mouth, throat, and

gastrointestinal tract.

SECTION 12: Ecological information

12.1. **Toxicity**

Ecology - general : This material has not been tested for environmental effects.

03 July 2019 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Persistence and degradability

No additional information available

Bioaccumulative potential

No additional information available

12.4. **Mobility in soil**

No additional information available

Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

: Avoid release to the environment. Ecology - waste materials

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN2922 Corrosive liquids, toxic, n.o.s., 8 (6.1), II

UN-No.(DOT) : UN2922

Proper Shipping Name (DOT) : Corrosive liquids, toxic, n.o.s.

: 8 - Class 8 - Corrosive material 49 CFR 173.136 Class (DOT)

Packing group (DOT) : II - Medium Danger

Subsidiary risk (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

: 243

Hazard labels (DOT) : 8 - Corrosive 6.1 - Poison





DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)

: B3 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks and DOT 57 portable tanks are not authorized.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Quantity Limitations Passenger aircraft/rail : 1 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

DOT Vessel Stowage Location

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

: 40 - Stow "clear of living quarters" **DOT Vessel Stowage Other**

03 July 2019 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency Response Guide (ERG) Number : 154

: No supplementary information available. Other information

Transportation of Dangerous Goods

: UN2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II Transport document description

UN-No. (TDG) : UN2922

Proper Shipping Name (Transportation of

Dangerous Goods)

: CORROSIVE LIQUID, TOXIC, N.O.S.

TDG Primary Hazard Classes : 8 - Class 8 - Corrosives : II - Medium Danger Packing group

TDG Subsidiary Classes

TDG Special Provisions

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a)UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b)UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c)UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S. (d)UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e)UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act". (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of

containment: (a)UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b)UN2900,

INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. SOR/2014-306

Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger : 1 L

Carrying Railway Vehicle Index

Transport by sea

Transport document description (IMDG) : UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II

UN-No. (IMDG) : 2922

Proper Shipping Name (IMDG) : CORROSIVE LIQUID. TOXIC. N.O.S.

Class (IMDG) : 8 - Corrosive substances

Packing group (IMDG) : II - substances presenting medium danger

Subsidiary risks (IMDG) : 6.1 - Toxic substances

Air transport

Transport document description (IATA) : UN 2922 Corrosive liquid, toxic, n.o.s., 8 (6.1), II

UN-No. (IATA) : 2922

Proper Shipping Name (IATA) : Corrosive liquid, toxic, n.o.s.

Class (IATA) : 8 - Corrosives Packing group (IATA) : II - Medium Danger Subsidiary hazards (IATA) : 6.1 - Toxic substances

SECTION 15: Regulatory information

15.1. US Federal regulations

Barium glass (1304-28-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Methacrylate Monomers (1565-94-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Triethylene glycol dimethacrylate (109-16-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

03 July 2019 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzoic acid, 4-(dimethylamino)-, ethyl ester (10287-53-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

PMN - PMN - indicates a commenced PMN substance.

15.2. International regulations

CANADA

Barium glass (1304-28-5)

Listed on the Canadian DSL (Domestic Substances List)

Methacrylate Monomers (1565-94-2)

Listed on the Canadian DSL (Domestic Substances List)

Triethylene glycol dimethacrylate (109-16-0)

Listed on the Canadian DSL (Domestic Substances List)

Submicron Silica (112945-52-5)

Listed on the Canadian DSL (Domestic Substances List)

Benzoic acid, 4-(dimethylamino)-, ethyl ester (10287-53-3)

Listed on the Canadian DSL (Domestic Substances List)

Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

Listed on the Canadian DSL (Domestic Substances List)

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Barium glass (1304-28-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Methacrylate Monomers (1565-94-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Triethylene glycol dimethacrylate (109-16-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Benzoic acid, 4-(dimethylamino)-, ethyl ester (10287-53-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Barium glass (1304-28-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

03 July 2019 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methacrylate Monomers (1565-94-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Triethylene glycol dimethacrylate (109-16-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Submicron Silica (112945-52-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Benzoic acid, 4-(dimethylamino)-, ethyl ester (10287-53-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

03 July 2019 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 03 July 2019

Full text of H-phrases:

H271	May cause fire or explosion; strong oxidizer
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H361	Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

03 July 2019 EN (English US) 10/10